

表 1-2 驱动装置的配置

规格	转速 (r/min)	输送量 (m ³ /h)	驱动装置		许用长度 (m)
			电动机型号	减速器型号	
LS200	100	13	Y90L-4-1.5	ZQ25-i ₆ -I	16
			Y100L ₁ -4-2.2	ZQ25-i ₆ -I	23
			Y100L ₂ -4-3	ZQ35-i ₆ -I	30
			Y112M-4-4	ZQ35-i ₆ -I	35
	80	10	Y100L ₁ -4-2.2	ZQ35-i ₅ -I	27
			Y100L ₂ -4-3	ZQ35-i ₅ -I	35
	63	8	Y90L-4-1.5	ZQ25-i ₄ -I	25
			Y100L ₁ -4-2.2	ZQ35-i ₄ -I	35
	50	6.2	Y90L-4-1.5	ZQ35-i ₃ -I	27
			Y100L ₁ -4-2.2	ZQ35-i ₃ -I	35
90	22	Y100L ₁ -4-2.2	ZQ25-i ₆ -I	14	
		Y100L ₂ -4-3	ZQ25-i ₆ -I	19	
		Y112M-4-4	ZQ35-i ₆ -I	25	
		Y132S-4-5.5	ZQ35-i ₆ -I	35	
LS250	71	18	Y100L ₁ -4-2.2	ZQ35-i ₅ -I	14
			Y100L ₂ -4-3	ZQ35-i ₅ -I	21
			Y112M-4-4	ZQ35-i ₅ -I	28
			Y132S-4-5.5	ZQ40-i ₅ -I	35
	56	14	Y90L-4-1.5	ZQ25-i ₄ -I	14
			Y100L ₁ -4-2.2	ZQ35-i ₄ -I	21
			Y100L ₂ -4-3	ZQ35-i ₄ -I	29

规格	转速 (r/min)	输送量 (m ³ /h)	驱动装置		许用长度 (m)	
			电动机型号	减速器型号		
LS250	56	14	Y112M-4-4	ZQ35-i ₄ -I	35	
	45	11	Y90L-4-1.5	ZQ35-i ₃ -I	17	
			Y100L ₁ -4-2.2	ZQ35-i ₃ -I	25	
			Y100L ₂ -4-3	ZQ35-i ₃ -I	35	
80	31	Y100L ₁ -4-2.2	ZQ35-i ₅ -I	8		
		Y112M-4-4	ZQ35-i ₅ -I	15		
		Y132S-4-5.5	ZQ40-i ₅ -I	20		
		Y132M-4-7.5	ZQ40-i ₅ -I	27		
		Y160M-4-11	ZQ50-i ₅ -I	35		
	63	24	Y100L ₁ -4-2.2	ZQ35-i ₄ -I	9	
			Y100L ₂ -4-3	ZQ35-i ₄ -I	13	
			Y112M-4-4	ZQ35-i ₄ -I	18	
			Y132S-4-5.5	ZQ40-i ₄ -I	25	
	LS315	50	19	Y132M-4-7.5	ZQ40-i ₄ -I	35
				Y90L-4-1.5	ZQ35-i ₃ -I	8
				Y100L ₁ -4-2.2	ZQ35-i ₃ -I	12
Y100L ₂ -4-3				ZQ35-i ₃ -I	17	
Y112M-4-4				ZQ40-i ₃ -I	23	
Y132S-4-5.5				ZQ40-i ₃ -I	30	
40		15.4	Y100L-6-1.5	ZQ35-i ₄ -I	10	
			Y112M-6-2.2	ZQ35-i ₄ -I	15	
			Y132S-6-3	ZQ40-i ₄ -I	20	
			Y132M ₁ -6-4	ZQ40-i ₄ -I	27	
60	36	Y132M ₂ -6-5.5	ZQ40-i ₄ -I	35		
		Y132M ₁ -6-4	ZQ35-i ₇ -I	8		
		Y132M ₂ -6-5.5	ZQ35-i ₇ -I	12		
LS400	71	62	Y160M-6-7.5	ZQ40-i ₇ -I	16	
			Y160L-6-11	ZQ40-i ₇ -I	24	
			Y180L-6-15	ZQ50-i ₇ -I	32	
	56	49	Y200L ₁ -6-18.5	ZQ50-i ₇ -I	35	
			Y132S-6-3	ZQ35-i ₆ -I	8	
			Y132M ₁ -6-4	ZQ35-i ₆ -I	10	

规格	转速 (r/min)	输送量 (m ³ /h)	驱动装置		许用长度 (m)
			电动机型号	减速器型号	
LS400	56	49	Y132M ₂ -6-5.5	ZQ40-i ₆ -I	14
			Y160M-6-7.5	ZQ40-i ₆ -I	19
			Y160L-6-11	ZQ50-i ₆ -I	26
			Y180L-6-15	ZQ50-i ₆ -I	35
	45	39	Y132M ₁ -6-4	ZQ40-i ₄ -I	10
			Y132M ₂ -6-5.5	ZQ40-i ₄ -I	14
			Y160M-6-7.5	ZQ50-i ₄ -I	19
			Y160L-6-11	ZQ65-i ₄ -I	26
			Y180L-6-15	ZQ65-i ₄ -I	35
			Y112M-6-2.2	ZQ40-i ₃ -I	9
			Y132S-6-3	ZQ40-i ₃ -I	13
	36	31	Y132M ₁ -6-4	ZQ40-i ₃ -I	17
			Y132M ₂ -6-5.5	ZQ50-i ₃ -I	24
			Y160M-6-7.5	ZQ65-i ₃ -I	32
			Y160L-6-11	ZQ65-i ₃ -I	35
	LS500	63	98	Y132M ₂ -6-5.5	ZQ40-i ₆ -I
Y160M-6-7.5				ZQ40-i ₆ -I	11
Y160L-6-11				ZQ50-i ₆ -I	16
Y180L-6-15				ZQ50-i ₆ -I	22
Y180M-4-18.5				ZQ65-i ₄ -I	27
Y180L-4-22				ZQ65-i ₄ -I	33
40		62	Y132M ₂ -6-5.5	ZQ40-i ₅ -I	8
			Y160M-6-7.5	ZQ50-i ₅ -I	13
			Y160L-6-11	ZQ65-i ₅ -I	20
			Y180L-6-15	ZQ65-i ₅ -I	27
			Y200L ₁ -6-18.5	ZQ65-i ₅ -I	34
32		50	Y132S-6-3	ZQ40-i ₃ -I	8
			Y132M ₁ -6-4	ZQ50-i ₃ -I	11
			Y132M ₂ -6-5.5	ZQ50-i ₃ -I	15
			Y160M-6-7.5	ZQ65-i ₃ -I	21
			Y160L-6-11	ZQ65-i ₃ -I	30
	Y180L-6-15		ZQ65-i ₃ -I	35	

规格	转速 (r/min)	输送量 (m ³ /h)	驱动装置		许用长度 (m)	
			电动机型号	减速器型号		
LS630	50	140	Y132M2-6-5.5	ZQ40-i5-I	4.5	
			Y160M-6-7.5	ZQ50-i3-I	7	
			Y160L-6-11	ZQ65-i5-I	11	
			Y180L-6-15	ZQ65-i5-I	15	
			Y200L ₁ -6-18.5	ZQ65-i ₅ -I	19	
			Y200L ₂ -6-22	ZQ65-i ₅ -I	22	
			Y225M-6-30	ZQ75-i ₅ -I	29	
			Y250M-6-37	ZQ75-i ₅ -I	35	
	40	112	Y160M-6-7.5	ZQ50-i ₄ -I	9	
			Y160L-6-11	ZQ65-i ₄ -I	14	
			Y180L-6-15	ZQ65-i ₄ -I	19	
			Y200L ₁ -6-18.5	ZQ65-i ₄ -I	24	
			Y200L ₂ -6-22	ZQ65-i ₄ -I	29	
				Y225M-6-30	ZQ75-i ₄ -I	35
	32	90	Y132M ₂ -6-5.5	ZQ50-i ₃ -I	9	
Y160M-6-7.5			ZQ65-i ₃ -I	12		
Y160L-6-11			ZQ65-i ₃ -I	18		
Y180L-6-15			ZQ65-i ₃ -I	24		
Y200L ₁ -6-18.5			ZQ75-i ₃ -I	30		
Y200L ₂ -6-22			ZQ75-i ₃ -I	35		
25			77	Y132M ₁ -6-4	ZQ50-i ₂ -I	8
	Y132M ₂ -6-5.5	ZQ65-i ₂ -I		11		
	Y160M-6-7.5	ZQ65-i ₂ -I		15		
	Y160L-6-11	ZQ65-i ₂ -I		22		
	Y180L-6-1.5	ZQ75-i ₂ -I		30		